

# CREEN CLIMBER LV 300 PRO



#### A STATE-OF-THE-ART MACHINE

THE QUICK-COUPLING PLATE MADE FOR A RANGE OF ATTACHMENTS FOR LANDSCAPE MAINTENANCE, CLEARING ROAD BANKS AND MOTORWAYS.



# LOWER FUEL CONSUMPTION, BETTER MANOEUVRABILITY AND EASIER TRANSPORT

Compact dimensions and low weight allow Green Climbers to have the best power-to-weight ratio.



#### **GREATER STABILITY**

The variable width undercarriage achieves an unrivalled stability on uneven and steep terrain and can be adjusted directly from the remote control.



## WORK IN ANY DIRECTION ON SLOPES OF UP TO 60°

The low center of gravity, extendable undercarriage and high profile tracks achieve an unrivalled stability on uneven and steep terrain up to 60° grade.





#### **GREATER FLEXIBILITY**

The front plate lateral movement enables work beyond the machine's footprint of up to 800 mm.



#### **INCREASED FOOTPRINT**

The LV 300 PRO has the ability to work even on muddy or loose soil.



## GREATER STABILITY AND TRACKS ALWAYS IN PLACE

Our undercarriage with its patented track guard system dramatically increases stability and reliability.














### Green Climber - LV 300 PRO

### TECHNICAL SPECIFICATIONS

Dry Weight	950 kg
Work Gradient	60°
Extendable Undercarriage	1140 mm / 1540 mm
Attachment Sideshifting	400 + 400 mm
Engine	YANMAR 3TNV82A-BDSA2
N. of Cylinders	3
Engine Power	31 hp / 23 kw
Engine Torque	86 Nm @ 1800 rpm
Emissions	Stage IIIB - EPA Tier 4 Final
Fuel Tank Capacity	20 L Diesel
Cooling System	Liquid
Main Pump	42 L/min @ 210 bar
Service Pump	10 L/min @ 180 bar
Hydraulic Oil Tank Capacity	17 L
Hydraulic Aux Lines	2 On/Off
Transmission	Hydrostatic Proportional
Speed	9 km/h
Reversible Fan	Yes

© MDB Srl 2022 - Image, technical and construction specifications subject to change with no obligation of prior notification. All rights reserved.





MDB srl

www.mdbsrl.com

Via Cupone 13 66022 Fossacesia (CH) Italia

